



K 5 Compact

The "K5 Compact" high-pressure cleaner with water-cooled motor is suitable for moderate dirt. The machine is easy to store and transport.





1 Easy to transport

- The high-quality aluminium telescopic handle can be adjusted to a convenient height for transporting, and then easily retracted again for storage.
- The small, robust devices in the Compact range have two carrying handles and can easily be taken with you, wherever you go.

2 Outstanding performance

■ The state-of-the-art water-cooled motor impresses with its long service life and high level of performance.

3 Quick Connect

The high-pressure hose is easy to manoeuvre, clicking quickly in and out of the device and spray gun. This saves time and effort.

4 Detergent inlet

Convenient and easy use of detergents.

TECHNICAL DATA AND EQUIPMENT





K 5 Compact

- Quick Connect: the high-pressure hose is easy to handle, clicking quickly in and out of the device and trigger gun
- Integrated suction mechanism for detergents

Technical data		
Order No.		1.630-720.0
EAN code		4039784825260
Pressure	bar / MPa	20-145 / 2-14.5
Flow rate	I/h	500
Max. inlet temperature	°C	max. 40
Connection load	kW	2.1
Weight without accessories	kg	11.5
Dimensions (L × W × H)	mm	516 × 295 × 282
Current type	V / Hz	230 / 50

Equipment				
High-pressure gun		Standard Quick Connect	Rubber band for attaching the high-pressure hose	•
Vario Power Jet				
Dirt blaster				
High-pressure hose	m	8		
Quick Connect on the side of the device	2			
Detergent application via		Suction		
Water suction		I		
Integrated water filter				
A3/4" garden hose connector adapter				
Telescopic handle				
Water-cooled motor				

■ Included in the scope of supply.

K 5 COMPACT 1.630-720.0































				1			_
		Order No.			Price	Description	
Spray lances		,					
VP 145 vario power jet Full Con- trol for K 4-K 5	1	2.642-725.0				Vario power spray lance for pressure washers in classes K 4 to K 5. Continuously adjustable from low-pressure detergent jet to high-pressure jet, simply by turning the spray lance.	
DB 145 dirt blaster Full Control for K 4-K 5	2	2.642-728.0				Dirt blaster with powerful middle rotary nozzle for Kärcher pressure washers in classes K 4 and K 5. For particularly stubborn dirt like that on mossy or weathered surfaces.	
Telescopic spray lance	3	2.642-347.0				Telescopic spray lance (1.20 m - 4 m) for easy cleaning of difficult to reach areas. With shoulder strap, bayonet connection and integrated, ergonomically adjustable trigger gun. Weight: ca. 2 kg	
Splash guard	4	2.642-706.0				Transparent splash guard for class K 2 to K 7 Kärcher pressure washers protects the operator and surrounding area from spray water. Ideal for cleaning corners and edges.	
Angled spray lance	5	2.638-817.0				Extra-long angled spray lance (about 1 m) for easy cleaning of difficult to reach areas, e.g. roof gutters or vehicle underbodies.	
1-step lance extension	6	2.643-240.0				Extends spray lance by 0.4 m. For effective cleaning of difficult to reach areas. Suitable for all Karcher accessories.	
VP 180 S vario power jet short 360° for K 2-K 7	7	2.643-254.0				VP 180 S: The vario power jet short 360° with infinitely variable pressure regulation and adjustable 360° joint is ideal for cleaning areas that are difficult to reach.	
MP 145 multi power jet for K 3-K 5	8	2.643-239.0				Multi power jet with 5 types of jets: Cleaning agent jet, HP fan jet, rotary nozzle, pencil jet and wide reduced-pressure fan jet. The suitable jet can be selected by simply twisting.	
3-step lance extension	9	2.639-722.0				3-stage lance extension set with four aluminium lances for difficult to reach areas. Variable extension to 90 cm, 1.30 m and 1.70 m.	
Splash guard	10	2.640-916.0				Splash guard for dirt blasterProtects against splash back when cleaning corners and edges. Fits all Kärcher dirt blasters (except 4.763-184).	
Multi-power jet K3 - K5	11	2.642-440.0				Multi-power jet with 5 types of jets: Cleaning agent jet, HP fan jet, rotary nozzle, pencil jet and wide reduced-pressure fan jet. The suitable jet can be selected by simply twisting.	
VP 160, Vario Power Jet for K 5-K 7	12	2.643-242.0				Vario-Power spray lance: spray lance with infinitely variable pressure control from low-pressure detergent jet to high-pressure jet.	-
DB 160, Dirt Blaster for K 5-K 7	13	2.643-243.0				Dirt blaster with powerful rotor nozzle (rotating pencil jet) ideal for removing stubborn dirt. Ideal for moss covered or weathered surfaces.	
Trigger guns							
G 180 Q Quick Connect trigger gun	14	2.642-889.0				The new G 180 Q spray gun with Quick Connect is 13 cm longer and is now even more convenient to use and more ergonomic when cleaning with Kärcher pressure washers.	-
Surface cleaners							
Replacement nozzles accessories for T 350	15	2.643-335.0				The high-quality replacement nozzles guarantee easy replacement of nozzles and are suitable for the T-Racer T 300 / T 350 surface cleaners for the pressure washer unit classes K 2 to K 7.	
Replacement nozzle for T-Racer	16	2.640-727.0				High-quality, grey replacement nozzles for easy replacement of T-Racer nozzles. Suitable for replacing nozzles for the K2-K5 device classes.	

K 5 COMPACT 1.630-720.0































				 		_
		Order No.		Price	Description	
T-Racer T 250 Surface Cleaner	17	2.642-194.0			T 250 T-Racer for spray-free surface cleaning. With extra handle for cleaning vertical surfaces. The accessories are suitable for Kärcher Home&Garden pressure washers, classes K 2 - K 7.	
T 450 T-Racer surface cleaner	18	2.643-214.0			Cleans large surfaces without splashing: T-Racer surface cleaner T 450. Extra power nozzle for corners and edges, handle for vertical cleaning, protection grid for gravel surfaces, cleaning pressure adjustment.	
PS 40 power scrubber surface cleaner	19	2.643-245.0			PS 40 power scrubber with three integrated high-pressure nozzles. Powerful cleaning action removes stubborn dirt from surfaces quickly and easily. Ideal for stairs and edges.	
T 550 T-Racer surface cleaner	20	2.643-251.0			T-Racer surface cleaner T 550 for splash-free cleaning of large surfaces. With detergent application system, power nozzle for corners/edges, protection grid for gravel surfaces, pressure adjustment and handle.	
T 350 T-Racer surface cleaner	21	2.643-252.0			With the T-Racer surface cleaner T 350, large surfaces can be cleaned without splashing. Continuous pressure adjustment for hard and sensitive surfaces. Handle for vertical cleaning.	
Replacement nozzles accessories	22	2.643-338.0			High-quality replacement nozzles for all T-Racer surface cleaners (except T 350) for unit classes K 2 to K 7, gutter cleaner PC 20 for K 3 to K 7, as well as chassis cleaner for K 2 to K 5.	
Brushes				·		
WB 150 power brush	23	2.643-237.0			WB 150 power brush for splash-free cleaning of sensitive surfaces. The effective combination of high pressure and manual brush pressure saves energy, water and up to 30% time.	
WB 120 rotating wash brush	24	2.644-060.0			Rotating wash brush with interchangeable attachment for cleaning all smooth surfaces such as paint, glass or plastic. Quick and easy attachment changing thanks to the integrated release lever.	
WB 120 rotating wash brush Car & Bike	25	2.644-129.0			Gently cleans cars and motorbikes: The rotating wash brush with innovative soft microfibre interchangeable attachment Car & Bike. Machine washable at 60 °C.	
WB 60 soft surface wash brush	26	2.643-233.0			Soft brush for cleaning large areas, e.g. cars, caravans, boats, conservatories or roller shutters). Working width of 248 mm ensures good coverage.	
Wheel washing brush	27	2.643-234.0			Wheel washing brush for effective cleaning also in difficult to reach areas. Uniform 360° water distribution for a perfect cleaning result.	
Garden hose adapter	28	2.640-732.0			Adapter for garden hose connection – suitable for attaching all Kärcher brushes to garden hoses with the quick-coupling system.	
Soft universal brush	29	2.640-589.0			Universal soft brush for cleaning all types of surfaces. With soft brushes, outer protector ring, union nut and rubber pad.	
Soft surface brush	30	2.640-590.0			Soft brush for cleaning large areas, e.g. cars, caravans, boats, conservatories or roller shutters). Working width of 248 mm ensures good coverage.	
Rotary wash brush with joint	31	2.640-907.0			Rotating washing brush with joint for cleaning all smooth surfaces, e.g. paint, glass or plastic. 18° infinitely adjustable joint on handle for cleaning difficult to reach areas.	

[■] Included in the scope of supply.

Available accessories.

K 5 COMPACT 1.630-720.0































					T.	_
		Order No.		Price	Description	
WB 100 rotating wash brush	32	2.643-236.0			Rotating wash brush with joint for cleaning all smooth surfaces, e.g. paint, glass or plastic. 18° infinitely adjustable joint on handle for cleaning difficult to reach areas.	
Soft Wash Brush WB 50	33	2.643-246.0			Universal soft brush for cleaning all types of surfaces. With soft brushes, outer protector ring, union nut and rubber pad	111
Wash brush	34	6.903-276.0			Wash brush with soft bristles for cleaning sensitive areas and areas which are difficult to access in the outside area.	
High-pressure replacement hose: V	lith an	ti-twist system and Ou	ck Connect system		Suitable for all Kärcher K 2 to K 7 pressure washers.	_
H 10 Q Flex PremiumFlex anti twist	35		uk Connect System		Innovative PremiumFlex high-pressure hose with anti-twist system for twist-free work. 10 m long. Includes Quick Connect adaptor. For devices in the K 2 to K 7 ranges. Not suitable for hose reel devices or for Full Control devices in the K 4 to K 7 ranges.	
High-pressure replacement hose: s	vstem	from 2009 with Quick	Connect system		the K + to K 7 runges.	
H 9 Q high-pressure hose Quick Connect	36	1			9 m high-pressure replacement hose for K 2 to K 7 pressure washers manufactured since 2009, on which the hose is attached to the spray gun and device with a Quick Connect quick coupling, 180 bar, 60°C.	
High-Pressure replacement hose ki	t syste	m from 1992				
Extension hose adapter kit		2.643-037.0			Two-part adapter set for connecting an extension hose with screw thread to a pressure washer with a Quick Connect system. Not for hose reel machines.	
High-pressure extension hose: Syst	1	1	nnect system			
XH 10 Q Quick Connect extension hose	38	2.641-710.0			High-pressure hose extension for greater flexibility. 10 m robust DN 8 quality hose for excellent durability. For K 3 to K 7 devices from 2008 or later with Quick Connect adapter.	
XH 6 Q extension hose Quick Connect	39	2.641-709.0			High-pressure extension hose for greater flexibility. 6 m robust DN 8 quality hose for durability. For K 2 to K 7 serie from 2008 with Quick Connect adapter. Connect between spray gun and high-pressure hose.	s 🗆
XH 10 QR extension hose Quick Connect rubber	40	2.641-708.0			High-pressure extension rubber hose for greater flexibility. 10 m high-quality hose, steel reinforced for durability. For h 3 to K 7 series from 2008 with Quick Connect adapter. Connect between trigger gun and high-pressure hose.	
Pipe cleaning						
PC 20 roof gutter and pipe cleaning kit	41	2.642-240.0			The gutter and pipe cleaning kit works all by itself - with high pressure. It easily cleans outflows, pipe blockages and gutters. Hose length: 20m.	
PC 15 pipe cleaning kit	42	2.637-767.0			Pipe cleaning kit with 15 m hose for clearing blockages in pipes, drains and downpipes.	
PC 7.5 pipe cleaning kit	43	2.637-729.0			Pipe cleaning kit with 7.5 m hose for clearing blockages in pipes, drains and downpipes.	
Foam jet						
FJ 6 foam jet	44	2.643-147.0			FJ 6 foam nozzle for cleaning with powerful foam (e.g. ultra foam cleaner). For cars, motorcycles etc. and for applying cleaning products to stone and wood surfaces and façades.	
FJ 10 C Connect 'n' Clean foam jet + 3-in-1 Ultra Foam Cleaner	45	2.643-143.0			Ultra foam cleaner + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different deter- gents with just a simple click.	
FJ 10 C foam jet Connect 'n' Clean with car shampoo 3-in-1	46	2.643-144.0			Car shampoo + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different deter- gents with just a simple click.	

K 5 COMPACT 1.630-720.0























		Out on the			Poiss		
		Order No.			Price	Description	╛
Foam nozzle, 0.3 litre	47	2.641-848.0				Foam nozzle with powerful foam effortlessly cleans all types of surfaces, e.g. car or motorcycle paint, glass or stone, 0.3 litre container.	[
FJ 10 C foam jet Connect 'n' Clean with stone cleaner 3-in-1	48	2.643-145.0				Stone cleaner + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different detergents with just a simple click.	[
Accessory kits					•		
Accessory Kit Bike Cleaning	49	2.643-551.0				Cleaning and care to perfection! The accessories kit for motorbike and bicycle cleaning includes 1 wheel washing brush, 1 universal wash brush, 1 litre of Car Shampoo 3-in-and 1 VPS 160 S.	1
Accessories set for wood cleaning	50	2.643-553.0				Accessories kit for wood cleaning. With Power scrubber PS 40, Wood Cleaner 3-in-1 and Connect 'n' Clean FJ 10 C foam jet. Ideal for cleaning and maintaining wood and stone surfaces.	n r
Miscellaneous		'	'	<u>'</u>	 		Ė
SH 5 suction hose	51	2.643-100.0				Environmentally friendly 5-metre long suction hose for sucking up water from alternative sources such as water butts or water containers.	[
Sand and wet-blasting kit	52	2.638-792.0				Sand and wet-blasting kit for removing rust, paint and stub- born dirt using Kärcher abrasive.	- [
Vario joint	53	2.640-733.0				Vario joint, rotates 180° for cleaning difficult to reach areas For connection between gun and accessory or extension lance and accessory.	s. [
Water filter	54	4.730-059.0				Water filter protects pressure washer pumps against dirt particles from dirty water.	[
O-ring set	55	2.640-729.0				Replacement O-ring set for easy replacement of O-rings and safety plugs on pressure washer accessories.	d [
Organiser	56	2.641-630.0				Kärcher organiser, the practical wall-mounted storage system for Kärcher accessories. With two modules for flexible mounting. Ideal for protecting wash brushes and bristles from bending.	
Underbody cleaner	57	2.642-561.0				Highly effective chassis cleaner for removing dirt, mud, sludge, sand and encrusted salt. With care nozzle for applying chassis wax (incl. 250 ml free tester).	- [
Suction hose ecologic	58	2.642-743.0				The suction hose from the ecologic range is suitable for all I 3 to K 7 devices and makes it possible to draw water from alternative sources such as water butts and barrels. The hose is free of phthalates and PVC, up to 90% recyclable and also uses highly eco-friendly packaging.	[

 $[\]blacksquare$ Included in the scope of supply. \square Available accessories.

K 5 COMPACT 1.630-720.0

























		Order No.			Price	Description
Hose storage and hose trolley						
Premium Hose Reel HR 7.315 Kit 5/8"	1	2.645-165.0				Watering station with detachable hose reel, storage option for nozzles and sprinklers, large storage box and fixing option for spray lances. Fully equipped.
Hose Trolley HT 3.420 Kit 5/8"	2	2.645-167.0				Fully assembled hose trolley with height-adjustable handle, angled hose connection, freewheeling crank handle and sophisticated folding function for space-saving storage.
Premium Hose Reel HR 7.315 Kit 1/2"	3	2.645-164.0				Fully equipped watering station. With detachable hose reel, storage for nozzles and sprinklers, large storage box and fixing option for spray lances.
Hoses						
Hose set for pressure washers	4	2.645-156.0				Hose set for high-pressure cleaning and garden watering. With 10m PrimoFlex* hose (3/4"), G3/4 tap adaptor, universal hose connector and universal connector with Aqua Stop.
Water supply hose set	5	2.645-258.0				Hose set for water supply (pressure washer, garden watering). With 10 m PrimoFlex* hose (½"), hose connector with and without Aqua Stop, universal connection for taps without thread.
PrimoFlex® hose 1/2" - 20 m	6	2.645-138.0				The robust PrimoFlex* (1/2") garden hose is a 20 m long, temperature-resistant (from -20 to 65°C) and physiologically safe water hose with pressure-proof coating. Bursting pressure: 24 bar.
PrimoFlex* hose 3/4" - 25 m	7	2.645-142.0				PrimoFlex® quality garden hose (3/4"). 25 m long. With pressure-resistant woven reinforcement. Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from -20 to 65 °C.
Hose Performance Plus 1/2" -20m	8	2.645-318.0				
Hose Performance Plus 3/4" -25m	9	2.645-322.0				
Performance Premium hose, 1/2" -20 m	10	2.645-324.0				
Hose connection systems						
Universal hose coupling Plus	11	2.645-193.0				Universal hose coupling plus with soft plastic recessed grips for comfortable handling. Compatible with all click systems.
Universal hose coupling Plus with Aqua Stop	12	2.645-194.0				Universal hose coupling plus with Aqua Stop and soft plastic recessed grips for comfortable handling. Compatible with all click systems.
Universal Hose Connector with Aqua Stop	13	2.645-192.0				Universal hose connector with Aqua Stop in ergonomic design for comfortable handling.
Universal Hose Connector	14	2.645-191.0				Universal hose connector in ergonomic design for comfortable handling.

 $[\]blacksquare$ Included in the scope of supply. \qed Available accessories.